



### LOW CARBON LIFESTYLES











### a trainer's guide to low carbon lifestyles

Mother Earth is the only planet we have. Global warming can lead to irreversible changes in the delicate balance that exists in the planet's climate and life systems. It is a growing crisis with large scale implications on mortality, health, economics and security.

The importance of **action at all levels** to tackle this problem cannot be overemphasized. All of us will be affected, irrespective of economic status or nationality and it is up to each one of us to apply our creative knowledge to move towards the common goal and also save money. We have still not reached a point of no return and the most dangerous climate changes can still be avoided. It is **action on the ground**, which makes all the difference in achieving our goals! In this each one of us has a role to play as a symbol of a responsible society.

This 'Training toolkit on low carbon lifestyles' is a set of materials in an easy to understand language, based on up to date science and policy inputs. It aims to arm a trainer with facts and figures on how small changes in everyday actions can help reduce an individual's contribution to greenhouse gas emissions in the atmosphere and also save money. It focuses on **climate friendly choices** we all can make in the use of electrical appliances, transport, paper, water, etc. All data is relevant to the Indian context and the choices presented are practical and easy to adopt. The toolkit consists of:

- A trainer's guide with practical climate friendly actions that can be adopted in our daily life and a quantitative estimation of reduction of greenhouse gas emissions by individual actions
- An excel sheet with necessary calculations, which can be used by trainers to quantify energy and cost savings, and carbon dioxide emissions reduction
- A powerpoint presentation on climate change basics, how we are responsible, and the impacts on India

Our vision is to create a prosperous, but not a wasteful society, and an economy that is self sustaining. Individual efforts may seem like drops in the ocean. However, the impacts from the positive changes from these efforts in lifestyles and consumption patterns by millions of people will make significant contributions towards a more climate friendly Mother Earth. Let us do our bit now for our city, country and our environment. As Mahatma Gandhi once said, "Whatever you do may seem insignificant to you, but it is most important you do it."

## Assumptions: Emission factor<sup>1</sup> = $0.82 \text{ kg CO}_2/\text{kWh}$ (Average emission of all stations in the grid weighted by net generation)

Average cost of electricity<sup>2</sup> = ₹ 4/kWh

### **Electricity**

### **Switch to CFLs**

Replace just one 100W ICL bulb with a 20W Compact Fluoroscent Lamp (CFL)



Reduce annual CO<sub>2</sub> emissions by 84 kg on every replacement



Appliance	Wattage (W)*	Estimated Daily Use (hrs)	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/kWh)	Annual Cost (₹)
Bulb (ICL)	100	3.5	127.75	0.82	104.76	4	511.0
CFL	20	3.5	25.55	0.82	20.95	4	102.2
Savings					83.81		408.8

\* Endnotes 3 & 4

### Use a table lamp while studying

Table lamps provide more effective lighting

**Reduce annual CO<sub>2</sub> emissions by 57 kg on every change** 

Reduce annual electricity bills by ₹277

Wattage (W)*	Estimated Daily Use (hrs)	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
100	2	73	0.82	59.86	4	292.0
5	2	3.65	0.82	2.99	4	14.6
				56.87		277.4
	(W)*	(W)* Daily Use (hrs)  100 2	(W)* Daily Use Consumption (kWh)  100 2 73	$ \begin{array}{c cccc} \text{(W)*} & \text{Daily Use} & \text{Consumption} & \text{Factor} \\ \text{(hrs)} & \text{(kWh)} & \text{(kg CO}_2/\\ \text{kWh)} \\ \end{array} $	(W)*         Daily Use (hrs)         Consumption (kWh)         Factor (kg $CO_2$ / kWh)         CO <sub>2</sub> Emission (kg)           100         2         73         0.82         59.86           5         2         3.65         0.82         2.99	(W)*     Daily Use (hrs)     Consumption (kWh)     Factor (kg $CO_2$ / kWh)     CO <sub>2</sub> Emission (kg)     Cost (₹/ kWh)       100     2     73     0.82     59.86     4       5     2     3.65     0.82     2.99     4



### Come out and play

Go out for a couple of hours everyday instead of watching TV/computer and be healthy

Reduce annual CO<sub>2</sub> emissions by 62 to 93 kg per person Reduce annual electricity bills by ₹ 301 to 453

Appliance	Wattage (W)*	Estimated Daily Use (hrs)	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost Savings (₹)
BEE 5 star rated LCD TV (32")	103	2	75.2	0.82	61.7	4	300.8
Desktop with LCD monitor	155	2	113.2	0.82	92.8	4	452.6

### Switch from a desktop to a laptop

Reduce annual CO<sub>2</sub> emissions by 205 to 279 kg per desktop replacement Reduce annual electricity bills by ₹ 1000 to 1360

Appliance	Wattage (W)*	Estimated Daily Use (hrs)*	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
Desktop with LCD screen	155	8	310	0.82	254.2	4	1240
Laptop	30	8	60	0.82	49.2	4	240
Savings					205		1000

\* Endnote 6

Appliance	Wattage (W)*	Estimated Daily Use (hrs)	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
Desktop with CRT screen	200	8	400	0.82	328.0	4	1600
Laptop	30	8	60	0.82	49.2	4	240
Savings					278.8		1360

\* Endnote 6

### Turn off lights and fans when not in use

Reduce annual CO<sub>2</sub> emissions by 28 kg per household Reduce annual electricity bills by ₹ 134

Appliance	Wattage (W)*	Daily Consumption in use (hrs)	Annual Electricity Reduction (kWh)*	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission Consumption (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
ICL Bulb	60	1	21.9	0.82	18.0	4	87.6
Fan	65	1	11.7	0.82	9.6	4	46.8
Savings					27.6		134.4
							* Endnote 7

\* Endnote 8



**Annual Energy** Consumption (kWh/Year)

152\*

Model No,/Year : ABC/XXXX

Equipment Type: CRT/LCD/ Plasma TV Screen Size

: Inches/cm

\*Under test conditions, when tested in accordance to EC 62301 and 62087. Actual electricity consumption will depend on how the equipment is used.





### **POWER SAVINGS GUIDE**



### **ENERGY EFFICIENCY** 2.90 EER (W/W)

Appliance/Type	: RAC/XXX
Brand	: XXX
Model/Year	: ABCYYYY
Cooling Capacity (W)	: XXXX
Power Consumption (W)	: XXXX
Variable Speed Compressor	: Yes/No
Heat Pump	: Yes/No



\*Under test conditions, when tested in accordance with XXX. Actual electricity consumption will depend on how the appliance being used.



### **POWER SAVINGS GUIDE**



### **ELECTRICITY CONSUMPTION** 700\* **UNITS PER YEAR**

Appliance	: Refrigerator
Brand	: XX
Model/Year	: XX/YYYY
Туре	: XX
Gross Volume	: XX/Litres
Storage Volume	: XX/Litres



\*Under test conditions, when tested in accordance with XXX Actual electricity consumption will depend on how the appliance being used

### Buy BEE 5 star rated appliances

This will help each one of us to reduce our energy consumption, energy bills and carbon footprint.

### • Use a BEE 5 star rated fan (1200mm sweep)

Reduce annual CO, emissions by 36 kg on every fan

Reduce annual electricity bills by ₹ 176

Appliance	Wattage (W)*	Estimated Daily Use (hrs)	Annual Electricity Consumption (kWh)*	Emission Factor (kg CO <sub>2</sub> /kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
Regular fan	65	12	195	0.82	159.90	4	780
BEE 3 star rated fan	60	12	180	0.82	147.60	4	720
BEE 5 star rated fan	50.3	12	150.9	0.82	123.74	4	603.6
Savings					36.16		176.4

\* Fndnote 9

### Use a BEE 5 star rated frost free refrigerator

Reduce annual CO<sub>2</sub> emissions by 269 kg on every refrigerator Reduce annual electricity bills by ₹ 1312

Appliance	Annual Electricity Consumption (kWh)*	Emission Factor (kg CO <sub>2</sub> /kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
BEE 2 star rated 235 lts fridge	693	0.82	568.26	4	2772
BEE 5 star rated 240 lts fridge	365	0.82	299.30	4	1460
Savings			268.96		1312

\* Endnote 10

### • Use a BEE 5 star rated split air conditioner (1.5 tons)

Reduce annual CO, emissions by 283 kg on every air conditioner Reduce annual electricity bills by ₹ 1382

Appliance	Wattage (W)*	Estimated Daily Use (hrs)*	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> /kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
BEE 2 star rated AC	1970	8	2127.6	0.82	1744.6	4	8510.4
BEE 5 star rated AC	1650	8	1782.0	0.82	1461.2	4	7128.0
Savings					283.4		1382.4

### Install a solar water heater

Use of renewable energy in your daily life

Reduce annual CO₂ emissions by 687 kg on every installation
Reduce annual electricity bills by ₹ 3352

Appliance	Electricity Required (kWh)*	Daily Electricity Consumption (kWh)*	Annual Electricity Consumption (kWh)*	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
25 lts geyser	1.16	4.66	838	0.82	687.2	4	3352
Solar water heater	0	0	0	0	0		0
Savings					687.2		3352

\* Endnote 12



### Use the geyser efficiently

Bathe in quick succession and switch off the geyser

Reduce annual CO<sub>2</sub> emissions by 344 kg per geyser Reduce annual electricity bills by ₹ 1676

Appliance (25 lts geyser)	Electricity Required (kWh)	Daily Electricity Consumption (kWh)*	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
4 people (bathe at different times)	1.16	4.66	838	0.82	687.2	4	3352
4 people (bathe in quick succession)	1.16	2.33	419	0.82	343.6	4	1676
Savings					343.6		1676

\* Endnote 13

### Reduce the temperature setting on the geyser

Geysers come with a factory setting of  $60^{\rm o}{\rm C}$  but you need water at only  $40^{\rm o}{\rm C}$  for a comfortable bath

Reduce annual CO<sub>2</sub> emissions by 172 kg per geyser
Reduce annual electricity bills by ₹838

Appliance (25 lts geyser)	Electricity Required (kWh)	Daily Electricity Consumption (kWh)	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
Temperature setting 60°C	1.16	2.33	419	0.82	343.6	4	1676
Temperature setting 40°C	0.58	1.16	209.5	0.82	171.8	4	838
Savings					171.8		838

\* Endnote 14

11

### Eat together

Heat food at one go to reduce unnecessary use of microwave oven for just 5 mins a day



Reduce annual CO<sub>2</sub> emissions by 30 kg per microwave Reduce annual electricity bills by ₹ 146



Appliance	Wattage (W)*	Estimated Daily Consumption (hrs)	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission Reduction (kg)	Electricity Cost (₹/ kWh)	Annual Cost Saving (₹)
Microwave oven (201)	1200	0.08	36.5	0.82	29.9	4	146

\* Endnote 15

### Use a cold cycle in the washing machine

Ensure proper temperature controls in washing machines





Appliance	Electricity Consumption / cycle (kWh)*	Estimated cycles / week	Annual Electricity Consumption (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission (kg)	Electricity Cost (₹/ kWh)	Annual Cost (₹)
Wash temp 60°C	1.4	2	145.6	0.82	119.4	4	582.4
Wash temp 25°C	0.25	2	26.0	0.82	21.3	4	104.0
Savings					98.1		478.4

\* Endnote 16

### Switch off appliances at the plug point

Switch off the TV, Set top box and DVD player at the plug, not with a remote

**Reduce annual** CO<sub>2</sub> emissions by 106 kg per household

Reduce annual electricity bills by ₹518

Appliance	Stand- by Wattage (W)	Estimated Daily time on stand-by (hrs)*	Annual Electricity Reduction (kWh)	Emission Factor (kg CO <sub>2</sub> / kWh)	Annual CO <sub>2</sub> Emission Reduction (kg)	Electricity Cost (₹/ kWh)	Annual Cost Saving (₹)
TV, Set top box and DVD player	19.7	18	129.4	0.82	106.1	4	517.7



12 \* Endnote 17

### **Trees & Paper**

### Use paper only when required

Reduce printing by just one ream of paper a month.



Reduce annual CO, emissions by 87 kg for every user

Just 50 sheets of double sided printing a month



Activity	No. of sheets / month	Weight of paper conserved annually (kg)	Emission Factor (kg CO <sub>2</sub> /kg paper)	Annual CO <sub>2</sub> Emissions (kg)
Reduce printing by 1 ream	500	30	2.9	87
Print on both sides	50	3	2.9	8.7

### **Request for e-statements**



**Reduce annual CO**, emissions by 5.22 kg for every user

Activity	No. of sheets / month	Weight of paper conserved annually (kg)	Emission Factor (kg CO <sub>2</sub> /kg paper)	Annual CO <sub>2</sub> Emissions (kg)
Asking for e-statements	30	1.8	2.9	5.22


### Assumptions:

One 80gsm A4 sheet of bond paper (210 mm x 297 mm) = 4.989 gm = 5 gmEmission factor of paper producing units =  $2.9 \text{ kg CO}_2/\text{kg}$  of dried product<sup>18</sup>

Note: Calculations consider only carbon dioxide emissions at the paper manufacturing site and do not include emissions related to transportation and postage (where relevant) of paper.

### Do not use fresh paper for rough work

100 students doing rough work on one side used paper instead of fresh paper



Activity	no of sheets / month <sup>33</sup>	Weight of paper conserved annually (kg)	Emission factor	Annual CO <sub>2</sub> emissions (kg)
Rough work on one side used paper	5000	300	2.9	870

\* Endnote 19

### Use and pass on textbooks

100 students use and pass on their 10 well maintained textbooks to juniors **Reduce annual CO**, emissions by 870 kg for every 100 students

Activity	Weight / book (kg)	Weight of paper conserved annually (kg)	Emission Factor (kg CO <sub>2</sub> /kg paper)	Annual CO <sub>2</sub> Emissions (kg)
Hand down 1000 textbooks to juniors	0.3	300	2.9	870

\* Endnote 20

### Plant trees

One tree can sequester anywhere between 3.66\* to 10 kg of carbon dioxide every vear. Plant and nurture 50 trees.





# Emission factors for fuels<sup>21</sup>: Petrol - 2.325 kg CO<sub>2</sub>/l, Diesel - 2.734 kg CO<sub>2</sub>/l **Average cost of fuels**<sup>22</sup>: Petrol = ₹ 51.66 / l, Diesel = ₹ 37.60 / l **Mileage:** Cars<sup>23</sup> = 17.6, Motorcycles<sup>24</sup> - 78, Buses<sup>25</sup> - 4.3

### **Transportation**

### Carpool to work

Every small car that goes off the road

Reduces annual CO<sub>2</sub> emissions by 1321 kg

Reduces annual fuel cost by ₹29352

Action	km / day	km/ year*	Mileage (km/l)	Annual fuel consumption (l)		CO <sub>2</sub> emission per year (kg)		annual cost savings (₹)
1 car off the road on working days	40	10000	17.6	568.18	2.325	1321	51.66	29352

\* Endnote 26

### Take a bus to school

Use transport provided by school

Reduce annual CO<sub>2</sub> emissions by 477 kg

Reduce annual fuel cost by ₹6941

Vehicle	passenger km/year*	Mileage (km/l)	Annual per passenger fuel consumption (l)	Emission factor (kg/l)	Annual per passenger CO <sub>2</sub> emission (kg)	Cost/km (₹)*	Annual cost (₹)
Car (5 km one way)	4000	17.6	227.27	2.325	528.41	2.94	11741
Bus to school	80	4.3	18.60	2.734	50.87	60	4800
Savings					477.54		6941

\* Endnote 27

### Get driven to work....in a bus

Reduce annual CO<sub>2</sub> emissions by 1194 kg

Reduce annual fuel cost by ₹29352 if you use the company bus

Vehicle	Passenger km/year	Mileage (km/l)	Annual fuel consumption (l)	Emission factor (kg/l)	CO <sub>2</sub> emission per year (kg)	Fuel cost (₹/l)	Annual Cost (₹)
Car	10000	17.6	568.18	2.325	1321.02	51.66	29352
Bus	200	4.3	46.51	2.73	127.16		-
Savings					1193.9		29352

### Put on your walking shoes for short trips

Reduce annual  $CO_2$  emissions by 11 to 48 kg per vehicle Reduce annual fuel cost by  $\stackrel{?}{=}$  242 to 1071

	km/ day	km/ year	Mileage (km/l)	Annual fuel Consumption (l)	Emission Factor (kg/l)	CO <sub>2</sub> Emission per year (kg)	Fuel cost (₹/l)	Annual cost (₹)
Car	1	365	17.6	20.74	2.325	48.2	51.66	1071.4
Motorcycle	1	365	78	4.68	2.325	10.9	51.66	241.7
Walking						0		0

### Switch off ignition at traffic red lights

Reduce annual  $CO_2$  emissions by 48 to 64 kg per vehicle Reduce annual fuel cost by  $\stackrel{?}{=}$  1071 to 1417

Vehicle	Daily Idling time Reduction (hrs)	Annual Idling time Reduction (hrs)	Fuel Saving / hr (l)*	Annual Fuel Saving (l)	Emission Factor (kg/l)	Annual CO <sub>2</sub> Emission Reduction (kg)	Cost Saving if idling is cut down (₹)
Small Car	0.167	60.95	0.45	27.43	2.325	63.8	1417.0
2 Wheeler	0.167	60.95	0.34	20.73	2.325	48.2	1070.6

\* Endnote 28

### Regularly inflate vehicle tyres

Reduce annual CO<sub>2</sub> emissions by 150 kg per vehicle

Reduce annual fuel cost by ₹ 3344

	km/ day	km/ year	Mileage (km/l)*	Annual fuel consumption (l/year)	Emission factor (kg/l)	CO <sub>2</sub> emission per year (kg)	Fuel cost (₹/l)	Annual cost (₹)
Car, 25% under inflated tyres	40	10000	15.8	632.91	2.325	1471.5	51.66	32696.2
Car, properly inflated tyres	40	10000	17.6	568.18	2.325	1321.0	51.66	29352.3
Savings						150.5		3343.9

\* Endnote 29





### Assumptions:

Emission factor for  $LPG^{30} = 2.9 \text{ kg CO}/\text{kg of } LPG$ Rate of use of LPG (big burner, high flame)<sup>31</sup> = 177 g/hr Cost of 14.2 kg LPG cylinder<sup>32</sup> ₹ 345.35

1 kg organic waste releases an equivalent of 0.182 kg CO<sub>2</sub>.33 Average daily per capita organic waste generated<sup>34</sup> =  $0.2\bar{0}$  kg Average household size in India $^{35} = 5$ 

- Reduce the flame once food starts
- Use optimum quantity of water for
- Keep all ingredients ready and at hand before turning on the gas
- Use broad bottom vessels
- Allow refrigerated food to come to room temperature before heating it
- Clean the burners regularly
- Soak rice, dal etc. for some time before cooking
- Eat together so that food is not heated multiple times

### In Kitchens

### Use pressure cookers daily

Reduce annual CO<sub>2</sub> emissions by 125 kg per household Reduce annual fuel cost by ₹ 1048 (cost of 3 cylinders)

Activity	time (min)	time (hr)	total time in a year (hr)	LPG used in a year (kg)	Annual CO <sub>2</sub> Emissions (kg)	Annual cost (₹)
Cooking pots & pans with lids • Cooking rice - 2 cups • Cooking dal - 1 cup	25 40	0.42 0.67	395.42	69.99	202.97	1702.2
Pressure cooker • Cooking rice - 2 cups • Cooking dal - 1 cup	25	0.42	152.08	26.92	78.06	654.7
Savings				43.07 Approx. 3 cylinders	124.90	1047.5

### Use fuel efficient cooking methods

Reduce gas usage by 20 mins a day per household

Reduce annual CO, emissions by 62 kg per household Reduce annual fuel cost by ₹ 524

Activity	Cooking time reduced (min)	Cooking time reduced (hr)	Annual time reduced (hr)	Annual LPG Reduction (kg)*	Annual CO <sub>2</sub> Emissions Reduction (kg)	Annual cost Savings (₹)
Using fuel efficient cooking techniques	20	0.33	121.67	21.54	62.45	523.7

\* Endnote 36

### At home compost your kitchen wastes

Reduce annual CO, emissions by 68 kg per household

Activity	Daily organic waste generated per household (kg)	Annual organic waste generated per household (kg)	Emission Factor (kg CO <sub>2</sub> e/kg waste)	Annual Emissions (kg CO <sub>2</sub> e )
Compost organic wastes	1.02	371.51	0.182	67.61

### Water

### Conserve water

Conserve just 100 litres per household per day through various measures



Supply	Electricity required to pump 1 kl of water (kWh)	Emission factor (kg CO <sub>2</sub> /kWh)	CO <sub>2</sub> emissions per kl of water pumped (kg)	Annual water conserved (kl)	Annual CO <sub>2</sub> emission reductions (kg)
Borewell supply	0.82	0.82	0.67	36	24.12
Municipal supply	2.13	0.82	1.70	36	63

### Measures to reduce water consumption by 100 litres a day,

- Fix leaky taps, showers and flushes
- Do not let the tap run when you wash hands or brush your teeth
- Use a bucket and small mug to water plants, instead of a hosepipe
- Use a bucket and a cloth to wash vehicles, instead of a hosepipe
- Water potted plants with water that has been used to wash vegetables and lentils
- Change old flush cisterns to water efficient dual flush cisterns
- Wash only full loads in the washing machine

Look around and you can find many more ways in which you can conserve this most precious resource

### Harvest rainwater

Harvest 1000 litres per household per day over 40 days of rainfall

**Reduce annual CO<sub>2</sub> emissions by 27 to 70 kg per household** 

Supply	Electricity required to pump 1 kl of water (kWh)	Emission factor (kg CO <sub>2</sub> /kWh)	CO <sub>2</sub> emissions per kl of water pumped (kg)	Annual water conserved (kl)	Annual CO <sub>2</sub> emission reductions (kg)
Borewell supply	0.82	0.82	0.67	40	26.8
Municipal supply	2.13	0.82	1.70	40	70

In half an hour, a rooftop of 100 m<sup>2</sup> can harvest 1000 litres in a downpour of 25 mm/hr



### Assumptions:

Electricity required to pump 1000 lts of groundwater from a depth of 150 mts $^{37}$  = 0.82 kWh Electricity required to supply 1000 lts of water by the municipal authorities $^{38}$  = 2.13 kWh

### **Endnotes**

- Reference: CO<sub>2</sub> baseline database for the Indian Power Sector, User Guide, Version 5, November 2009. Emissions are considered at the power generation point only since estimation of emissions at end-use point depends on a number of variable factors. This also gives us the most conservative estimate of emissions.
- <sup>2</sup> Middle slab of residential electricity tariff in some metros
- <sup>3</sup> Cost reductions only consider annual electricity charges and not capital to ensure uniformity in all electricity related energy efficiency messages.
- <sup>4</sup> The lumen output of 20W Compact Fluorescent Lamp (CFL) corresponds to that of a 100W Incandescent Lamp (ICL). The Small-Scale Clean Development Mechanism (CDM) Programme Activity of the Bachat Lamp Yojana aims to distribute 20 W CFLs replacing around 600,000 ICLs.
- Hours of use per day as per Bachat Lamp Yojana = 3.5 Reference: CDM SSC-PoA-DD-Version 01
- <sup>5</sup> BPL's StudyLite Light Emitting Diode (LED) table lamp consumes 5W when connected to the mains. This is compared with a 100W ICL since a higher wattage bulb is usually used for reading.
- <sup>6</sup> Reference:http://www.eu-energystar.org/en/ en\_022p.shtml accessed July 2010
- 250 working days considered in a year (excluding weekends and national holidays)
- <sup>7</sup> 60W is the wattage of the most commonly used ICL.
- 65 W is the wattage of a commonly used 1200 mm sweep fan (reference: http://www.orientfansindia.com/pageData.aspx?ld=13 accessed July 2010).
- It is estimated that a fan is used only for 6 months of the year.
- 8 Reference:http://www.eu-energystar.org/en/ en\_022p.shtml accessed July 2010

- Reference: http://220.156.189.23:8080/beeLabel/ Search.page?et=ET0017&en=Color%20Televisions accessed July 2010
- <sup>9</sup> Reference:http://220.156.189.23:8080/beeLabel/ SearchFANSpage?etype=ET0019&ename=Ceilin g%20Fans accessed July 2010
- It is estimated that a fan in an office is used on all working days (250 days in a year).
- <sup>10</sup> Reference:http://220.156.189.23:8080/bee Label/SearchFFRpage?etype=ET0010&ename =Frost%20Free%20Refrigerator accessed July 2010
- <sup>11</sup> Reference:http://220.156.189.23:8080/beeLabel/ Search.page?et=ET0008&en=AC accessed July 2010

AC assumed to be on for 8 hrs a day (9am - 5 pm in offices or 10pm to 6 am in homes). Corresponding with Bureau of Energy Efficiency (BEE) assumptions, 75% compressor run time considered and therefore number of hours the AC compressor is on is 6 hrs during the 8 hour period.

It is assumed that an AC is used only for 6 months of the year (March / April – August/September)

<sup>12</sup> Energy (Q) = Specific heat capacity of water at constant pressure (Cp)\*mass (m)\* difference in temperature (dT). It is assumed that 25 lts of water is heated from 20°C to 60°C; Cp of water = 4.19 kJ/ kg°C and 1 kJ = 3600 kWh.

It is assumed that the geyser is turned on 4 times a day.

It is assumed that the geyser is required only for an average of 6 months in a year.

<sup>13</sup> For a bucket bath of 15 lts / person, it is assumed that the geyser needs to be turned on twice if 4 people have their baths in quick succession and 4 times if they do not.

- <sup>14</sup> It is assumed that the hot water is used efficiently.
- <sup>15</sup> Operating manual of IFB microwave oven.
- <sup>16</sup> Operating manual of a 6 kg IFB washing machine
- <sup>17</sup> The TV, DVD player and set-top box are assumed to be in use for 6 hrs and on stand-by mode for the rest of the day. Stand-by data source: Bureau of Energy Efficiency (BEE)
- <sup>18</sup> Centre for Science and Environment (CSE)'s green rating of Indian pulp and paper industry 2004
- <sup>19</sup> 2 sheets everyday used for 25 days of the month by each student = 50 sheets per student i.e. 5000 sheets for 100 students
- One tree of Terminalia species in a forested area can sequester 3.66 kg CO<sub>2</sub> per year. Teak species can sequester twice this amount. Source: Centre for Ecological Studies, Indian Institute of Science, Bangalore
- <sup>21</sup> Emission Factors Development for Indian Vehicles, Central Pollution Control Board, Government of India, August, 2007
- <sup>22</sup> Prices in Delhi in July 2010
- <sup>23</sup> Average mileage of 9 variants of A2 size cars considered. Reference: Fuel economy information brochure, Society of Indian Automobile Manufacturers, January 2010
- <sup>24</sup> Average mileage of fuel efficient models of motorcycles. Reference: Fuel economy information brochure, Society of Indian Automobile Manufacturers, January 2010
- <sup>25</sup> Fuel efficiency of Bangalore Metropolitan Transport Corporation buses, Reference: Xavier Godard and Innocent Fantonzoun, Urban mobility for all, International Scientific Committee, 2002
- <sup>26</sup> 250 working days considered in a year (excluding weekends and national holidays)
- 27 200 working days (excluding weekends, holidays and vacations)

- Assumption of 50 persons per bus http://www.dtc.nic.in/dt3.htm accessed July 2010
- 28 http://pcra.org/English/transport/Central Road Research Institute (CRRI) study.htm accessed June 2010
- <sup>29</sup> 25% reduction in tyre pressure assumed to cause 10% reduction in fuel efficiency as per http://pcra. org/English/transport/CRRIstudy.htm accessed June 2010
- 30 http://www.carbonmetrics.com/ipcc.html accessed July 2010
- <sup>31</sup> http://www.sunflame.com/3Burners.asp accessed July 2010
- <sup>32</sup> Prices in Delhi in July 2010
- <sup>33</sup> Towards a sustainable waste management system for Bangalore, H N Chanakya, T V Ramachandra and Shwetmala, IISc Bangalore.
- <sup>34</sup> Study on Solid Waste Management in 59 cities conducted by Central Pollution Control Board and National Environmental Engineering Research Institute (NEERI) (2004-2005)
- <sup>35</sup> Census of India 2001 states mean household size to be 5.3. Here it is assumed to be 5.
- 36 Assuming the use of only 1 big burner at high flame.
- <sup>37</sup> Electricity required for pumping 1cu m (1000l of ground water over a height of 150 m (kWh) = Q (qty)\*h (head)\*9.81/3600\*efficiency of pump = 1\*150\*9.81/3600\*0.5
- <sup>38</sup> Electricity required to pump 1000 I of water by Bangalore Water Supply and Sewerage Board = 2.13 units. Discussions with officials

### **Authors**

- Mr Prabhjot Sodhi, National Coordinator, UNDP-GEF Small Grants Program, CEE New Delhi
- Ms Rashmi Gopal, Consultant, Bangalore
- Dr S N Srinivas, Program Officer, Climate Change, UNDP, New Delhi
- . Dr Ramesh Kumar Jalan, Resource Person and Moderator, Climate Change Community of Practice, UN Solutions Exchange, New Delhi
- Mr Kartikeya V. Sarabhai, Director, CEE, Ahmedabad

### Acknowledgements

- . Mr Hem Pande, Jt. Secretary, Ministry of Environment & Forests. Government of India, New Delhi
- · Dr Subodh Sharma, Advisor, Ministry of Environment & Forests, Government of India, New Delhi
- . Mr Pieter Bult, Sr DRR, UNDP, New Delhi
- . Mr Sudhir Mittal, Special DG, O.C. Common Wealth Games, New Delhi
- Dr Srinivasan Iyer, ACD, EEU, UNDP, New Delhi
- . Mr K B Thampi, Inspector General (Forests), Ministry of Environment & Forests, Government of India, New Delhi
- Dr Preeti Soni, Advisor, Climate Change, UNDP, New Delhi
- . Mr Anil Arora, Programme Officer, UNDP, New Delhi.
- Mr A S Bakshi, Chief Engineer, Central Electricity Authority, New Delhi
- . Mr Praveen Gupta, Director, C&E division, Central Electricity Authority, New Delhi
- Dr Sandeep Garg, Energy Economist, Bureau of Energy Efficiency, New Delhi
- · Dr Saurabh Yadav, Knowledge Management Specialist, Bureau of Energy Efficiency, New Delhi
- . Mr Atanu Ganguli, Director, Society of Indian Automobile Manufacturers, New Delhi
- . Mr Saurabh Rohilla, Associate Director, Society of Indian Automobile Manufacturers, New Delhi
- Mr Kapil Mathur, Additional Director, Petroleum Conservation Research Association, New Delhi

- Mr Muktikam Phukan, Deputy Director, Petroleum Conservation Research Association, New Delhi
- Mr Onkar Nath, CDM Expert, GTZ German Technical Cooperation, New Delhi
- Dr Hoysall Chanakya, Centre for Sustainable Technologies, Indian Institute of Science, Bangalore
- Ms Shwetmala, Centre for Sustainable Technologies, Indian Institute of Science, Bangalore
- . Prof. R. Sukumar, Centre for Ecological Sciences, Indian Institute of Science, Bangalore
- . Mr H S Suresh, Centre for Ecological Sciences, Indian Institute of Science, Bangalore
- Mr M K Halpeth, Consultant, Bangalore
- Mr G R N Rao, Fellow, The Energy and Resources Institute, Bangalore
- Dr Suneel Pandey, Fellow, The Energy and Resources Institute, New Delhi
- . Mr Nivit Kumar Yadav, Centre for Science & Environment, New Delhi
- Mr Umashankar S, Centre for Science and Environment, New Delhi
- Dr Pramod Kumar, Programme Officer, UNDP, New Delhi
- Ms Chetali Kapoor, Project Officer, NFD, New Delhi

- Ms Pallavi Hittanagi, Bangalore
- Mr R Ashwin, Bangalore
- Ms Kritika Shah, Bangalore

This toolkit will also be available on the following websites:

www.moef.nic.in | www.undp.org | www.solutionexchange-un.net.in www.sgpindia.org | www.bee-india.nic.in | www.ceeindia.org | www.cwgdelhi2010.org


### Disclaimer

The data and presentations of the materials in the toolkit do not imply the expression of any opinion whatsoever on the part of OC CWG, MOEF, GOI, GEF, UNDP and CEE. The data does not represent the decisions, views of any partners in the publication.

No use of this publication may be made for sale or for any commercial purposes without prior permission in written form from the copyright holders. The toolkit may be reproduced in whole or in part in any form for educational or non profit purposes without any permission from copyright holders. It is however expected that due acknowledgment of the source is made to copyright holders. Kindly seek permission from UNDP/GEF SGP, CEE for reprints of the publication.







The difference between what we do and what we are capable of doing would suffice to solve most of the world's problems.

### -Mahatma Gandhi

CEE

Centre for Environment Education An activity of Nehru Foundation for Development (NFD) GEF UNDP Small Grants Programme Centre for Environment Education, Delhi

C-40 South Extension-II, New Delhi-110049 Ph.: 011-26262878-80

e-mail: prabhjot.sodhi@ceeindia.org www.sgpindia.org www.ceeindia.org United Nations Development Programme (UNDP)

Post Box No. 3059, 55 Lodhi Estate New Delhi-110 003 Ph.: 011-46532333

Ph.: 011-46532333 Fax: 011-24627612

e-mail : sn.srinivas@undp.org www.undp.org.in